

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2017904-0
Report Reference E235235-20201202
Date 24-Mar-2021

Issued to: MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY CO., LTD.
No.8, Nanyun Road 4, Huangpu District GUANGZHOU , GUANGDONG, China 510670

This is to certify that representative samples of

QQJQ2 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 62368-1, 3rd Ed., Issue Date: 2019-12-13

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2017904-0
Report Reference E235235-20201202
Date 24-Mar-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
B1205S-2WR3*, F1205S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B1212S-2WR3*, F1212S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B1215S-2WR3*, F1215S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B1224S-2WR3*, F1224S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2405S-2WR3*, F2405S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2412S-2WR3*, F2412S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2415S-2WR3*, F2415S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2424S-2WR3*, F2424S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1203S-1WR3*, B1203LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1205S-1WR3*, B1205LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent	DC-DC Converter



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2017904-0
Report Reference E235235-20201202
Date 24-Mar-2021

variations or selections that are not related to security. F1209S-1WR3*, B1209LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1212S-1WR3*, B1212LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1215S-1WR3*, B1215LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1224S-1WR3*, B1224LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1505S-1WR3*, B1505LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1509S-1WR3*, B1509LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1512S-1WR3*, B1512LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1515S-1WR3*, B1515LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2403S-1WR3*, B2403LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2405S-1WR3*, B2405LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2409S-1WR3*, B2409LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2412S-1WR3*, B2412LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2017904-0
Report Reference E235235-20201202
Date 24-Mar-2021

means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	
F2415S-1WR3*, B2415LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2424S-1WR3*, B2424LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2014296-0
Report Reference E235235-20201202
Date 24-Mar-2021

Issued to: MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY CO., LTD.
No.8, Nanyun Road 4, Huangpu District GUANGZHOU , GUANGDONG, China 510670

This is to certify that representative samples of

QQJQ8 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA C22.2 NO. 62368-1, 3rd Ed., Issue Date: 2019-12-13

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2014296-0
Report Reference E235235-20201202
Date 24-Mar-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
B1205S-2WR3*, F1205S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B1212S-2WR3*, F1212S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B1215S-2WR3*, F1215S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B1224S-2WR3*, F1224S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2405S-2WR3*, F2405S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2412S-2WR3*, F2412S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2415S-2WR3*, F2415S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
B2424S-2WR3*, F2424S-2WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1203S-1WR3*, B1203LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1205S-1WR3*, B1205LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent	DC-DC Converter



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2014296-0
Report Reference E235235-20201202
Date 24-Mar-2021

variations or selections that are not related to security. F1209S-1WR3*, B1209LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1212S-1WR3*, B1212LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1215S-1WR3*, B1215LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1224S-1WR3*, B1224LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1505S-1WR3*, B1505LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1509S-1WR3*, B1509LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1512S-1WR3*, B1512LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F1515S-1WR3*, B1515LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2403S-1WR3*, B2403LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2405S-1WR3*, B2405LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2409S-1WR3*, B2409LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2412S-1WR3*, B2412LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2014296-0
Report Reference E235235-20201202
Date 24-Mar-2021

means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	
F2415S-1WR3*, B2415LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter
F2424S-1WR3*, B2424LS-1WR3*, "*" means blank or "-TR" or "-xy", "x" means any letter from A to Z, and "y" means any number from 0 to 9. These suffixes represent variations or selections that are not related to security.	DC-DC Converter



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

